

Step Beams

Part Number	Description	Wt #	Ga.	Load	Color	Quantity
SB-4-96-16	4" x 96" Step BEAM 16 ga	22.1	16	4000	Orange	
SB-4-108-16	4" x 108" Step BEAM 16 ga	24.59	16	3130	Orange	
SB-4-120-16	4" x 120" Step BEAM 16 ga	27.09	16	2700	Orange	
SB-4-144-16	4" x 144" Step BEAM 16 ga	32.08	16	1900	Orange	
SB-4-96-15	4" x 96" Step BEAM 15 ga	26.22	15	5000	Orange	
SB-4-108-15	4" x 108" Step BEAM 15 ga	29.23	15	4000	Orange	
SB-4-120-15	4" x 120" Step BEAM 15 ga	32.24	15	3150	Orange	
SB-4-144-15	4" x 144" Step BEAM 15 ga	38.27	15	2200	Orange	
SB-4.5-96-15	4 1/2" x 96" Step BEAM 15 ga	28	15	5690	Orange	
SB-4.5-108-15	4 1/2" x 108" Step BEAM 15 ga	31.3	15	4600	Orange	
SB-4.5-120-15	4 1/2" x 120" Step BEAM 15 ga	34.54	15	3630	Orange	
SB-4.5-144-15	4 1/2" x 144" Step BEAM 15 ga	40.9	15	2510	Orange	
SB-5-96-15	5" x 96" Step BEAM 15 ga	28.37	15	7200	Orange	
SB-5-108-15	5" x 108" Step BEAM 15 ga	31.65	15	5690	Orange	
SB-5-120-15	5" x 120" Step BEAM 15 ga	34.93	15	4600	Orange	
SB-5-144-15	5" x 144" Step BEAM 15 ga	41.49	15	3190	Orange	
SB-5.5-96-15	5 1/2" x 96" Step BEAM 15 ga	30.18	15	9230	Orange	
SB-5.5-108-15	5 1/2" x 108" Step BEAM 15 ga	33.69	15	7285	Orange	
SB-5.5-120-15	5 1/2" x 120" Step BEAM 15 ga	37.2	15	5890	Orange	
SB-5.5-144-15	5 1/2" x 144" Step BEAM 15 ga	44.21	15	4100	Orange	
SB-6.25-108-14	6 1/4" x 108" Step BEAM 14 ga	43.9	14	11300	Orange	
SB-6.25-120-14	6 1/4" x 120" Step BEAM 14 ga	48.3	14	9500	Orange	
SB-6.25-132-14	6 1/4" x 132" Step BEAM 14 ga	52.8	14	7300	Orange	
SB-6.25-144-14	6 1/4" x 144" Step BEAM 14 ga	57.2	14	6500	Orange	

Pallet Rack Accessories

Part Number	Description	Wt #	Ga.	Load	Color	Quantity
PS-36-16	Pallet Support 36" 16 ga	5	16	-	Zinc Plated	
PS-42-16	Pallet Support 42" 16 ga	5.3	16	-	Zinc Plated	
PS-48-16	Pallet Support 48" 16 ga	6.59	16	-	Zinc Plated	
PS-42-14	Pallet Support 42" 14 ga	7.3	14	-	Zinc Plated	
SC-WB	Safety Clip with Barrel End	0.04		-	Zinc Plated	
SRC-3-RC	3 Rivet End Connector with Safety Clip	1.01		-	Unpainted	
RS-8-12	Row Spacer 8" - 12 ga	1.3	12	-	Unpainted	
RS-10-12	Row Spacer 10" - 12 ga	1.7	12	-	Unpainted	
RS-12-12	Row Spacer 12" - 12 ga	2.1	12	-	Unpainted	
ANC-.5-4	Anchors 1/2" x 4"	0.7		-	Unpainted	

3" x 1 5/8" Welded Upright Frames KD

Part Number	Description	Wt #	Ga.	Load	Color	Quantity
UFW-KD-42-3-158-96-14	3"x1 5/8"x 96" Post & bracing with welded standard footplate Upright Frame 15460 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	41.68	14	15460	Green	
UFW-KD-42-3-158-120-14	3"x1 5/8"x 120" Post & bracing with welded standard footplate Upright Frame 15460 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	52.11	14	15460	Green	
UFW-KD-42-3-158-144-14	3"x1 5/8"x 144" Post & bracing with welded standard footplate Upright Frame 15460 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	61.77	14	15460	Green	
UFW-KD-42-3-158-192-14	3"x1 5/8"x 192" Post & bracing with welded standard footplate Upright Frame 15460 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	81.87	14	15460	Green	

3" x 3" Welded Upright Frames KD

Part Number	Description	Wt #	Ga.	Load	Color	Quantity
UFW-KD-42-3-3-96-14	3"x3"x 96" Post & bracing with welded standard footplate Upright Frame 21300 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	52.42	14	21300	Green	
UFW-KD-42-3-3-120-14	3"x3"x 120" Post & bracing with welded standard footplate Upright Frame 21300 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	65.57	14	21300	Green	
UFW-KD-42-3-3-144-14	3"x3"x 144" Post & bracing with welded standard footplate Upright Frame 21300 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	77.90	14	21300	Green	
UFW-KD-42-3-3-192-14	3"x3"x 192" Post & bracing with welded standard footplate Upright Frame 21300 lb load capacity per frame w/ Beam spacing ≤60" 14 GAUGE	103.39	14	21300	Green	

Welded Upright Accessories

Part Number	Description	Wt #	Ga.	Load	Color	Quantity
WU-HB-33-36	Horizontal Bracing for 3"x3" 36" Upright	1.94	16	n/a	Green	
WU-HB-33-42	Horizontal Bracing for 3"x3" 42" Upright	2.31	16	n/a	Green	
WU-HB-33-48	Horizontal Bracing for 3"x3" 48" Upright	2.69	16	n/a	Green	
WU-DB-158-36	Diagonal Bracing for 36" Upright	2.88	16	n/a	Green	
WU-DB-158-42	Diagonal Bracing for 42" Upright	3.31	16	n/a	Green	
WU-DB-158-48	Diagonal Bracing for 48" Upright	3.94	16	n/a	Green	
FP-STD	Standard Footplate/ea.	0.7		n/a	Plated	
FP-SSMC	Seismic Footplate/ea.	4.46		n/a	Plated	
SP-2mm	2.0mm shim plate/ea.	0.3		n/a	Plated	
SP-3mm	3.0mm shim plate/ea.	0.4		n/a	Plated	

3" x 3" Bolt Upright Frames KD						
Part Number	Description	Wt #	Ga.	Load	Color	Quantity
UFB-36-3-3-96-14	3"x3"x 96" - 36" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	53.58	14	20000	Green	
UFB-36-3-3-120-14	3"x3"x 120" - 36" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	66	14	20000	Green	
UFB-36-3-3-144-14	3"x3"x 144" - 36" Deep 15 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	72.34	14	20000	Green	
UFB-36-3-3-192-14	3"x3"x 192" - 36" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	101.95	14	20000	Green	
UFB-36-3-3-204-14	3"x3"x 204" - 36" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	110	14	20000	Green	
UFB-36-3-3-276-13	3"x3"x 276" - 36" Deep 13 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤48"	166.76	13	20000	Green	
UFB-36-3-3-336-13	3"x3"x 336" - 36" Deep 13 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤48"	197.82	13	20000	Green	
UFB-42-3-3-96-14	3"x3"x 96" - 42" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	55.68	14	20000	Green	
UFB-42-3-3-120-14	3"x3"x 120" - 42" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	68.36	14	20000	Green	
UFB-42-3-3-144-14	3"x3"x 144" - 42" Deep 14 ga. Bolted Upright Frame 17800 lb load capacity per frame w/ Beam spacing ≤72"	80.67	14	17800	Green	
UFB-42-3-3-192-14	3"x3"x 192" - 42" Deep 14 ga. Bolted Upright Frame 17800 lb load capacity per frame w/ Beam spacing ≤72"	105.28	14	17800	Green	
UFB-42-3-3-216-14	3"x3"x 216" - 42" Deep 14 ga. Bolted Upright Frame 21700 lb load capacity per frame w/ Beam spacing ≤48"	118.78	14	21700	Green	
UFB-42-3-3-240-14	3"x3"x 240" - 42" Deep 14 ga. Bolted Upright Frame 21700 lb load capacity per frame w/ Beam spacing ≤48"	131.09	14	21700	Green	
UFB-48-3-3-96-14	3"x3"x 96" - 48" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	57.81	14	20000	Green	
UFB-48-3-3-120-14	3"x3"x 120" - 48" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	70.78	14	20000	Green	
UFB-48-3-3-144-14	3"x3"x 144" - 48" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	83.42	14	20000	Green	
UFB-48-3-3-192-14	3"x3"x 192" - 48" Deep 14 ga. Bolted Upright Frame 20000 lb load capacity per frame w/ Beam spacing ≤72"	108.7	14	20000	Green	

I-Beam Cantilever - Powder Coated						
Part Number	Description	Wt #	Ga.	Load	Color	Quantity
CUC-8-144	8" Cantilever Upright Columns 144"	268		11000	Orange	
CUC-8-192	8" Cantilever Upright Columns 192"	364		11000	Orange	
CB-8-48	8" Cantilever Bases 48"	96		n/a	Orange	
CA-4-48	4" Cantilever Arms 48"	34		2500	Orange	
CA-5-48	5" Cantilever Arms 48"	43.5		4000	Orange	
CXB-48	Cantilever X-Brace Set 48"	22	8	n/a	Orange	
CXB-60	Cantilever X-Brace Set 60"	24.25	8	n/a	Orange	
CXB-72	Cantilever X-Brace Set 72"	26.5	8	n/a	Orange	
CHB-48	Cantilever Horizontal Brace Set 48"	10	8	n/a	Orange	
CHB-60	Cantilever Horizontal Brace Set 60"	12	8	n/a	Orange	
CHB-72	Cantilever Horizontal Brace Set 72"	14	8	n/a	Orange	
CHA-M18-50	Bolt, Nut, Washer for Cantilever Arms Grade 5	0.44	8	n/a	ZINC	
CHA-M18-60	Bolt, Nut, Washer for Cantilever Base Grade 5	0.56	8	n/a	ZINC	
CHA-M12-40	Bolt, Nut, Washer for Cantilever Bracing Grade 5	0.17	8	n/a	ZINC	

I-Beam Cantilever - Hot Dipped Galvanized						
Part Number	Description	Wt #	Ga.	Load	Color	Quantity
CUC-8-144-HDG	8" Cantilever Upright Columns 144"	268		11000	HDG	
CUC-8-192-HDG	8" Cantilever Upright Columns 192"	364		11000	HDG	
CB-8-48-HDG	8" Cantilever Bases 48"	96		n/a	HDG	
CA-4-48-HDG	4" Cantilever Arms 48"	34		2500	HDG	
CA-5-48-HDG	5" Cantilever Arms 48"	43.5		4000	HDG	
CXB-48-HDG	Cantilever X-Brace Set 48"	22	8	n/a	HDG	
CXB-60-HDG	Cantilever X-Brace Set 60"	24.25	8	n/a	HDG	
CXB-72-HDG	Cantilever X-Brace Set 72"	26.5	8	n/a	HDG	
CHB-48-HDG	Cantilever Horizontal Brace Set 48"	10	8	n/a	HDG	
CHB-60-HDG	Cantilever Horizontal Brace Set 60"	12	8	n/a	HDG	
CHB-72-HDG	Cantilever Horizontal Brace Set 72"	14	8	n/a	HDG	
CHA-M18-50	Bolt, Nut, Washer for Cantilever Arms Grade 5	0.44	8	n/a	ZINC	
CHA-M18-60	Bolt, Nut, Washer for Cantilever Base Grade 5	0.56	8	n/a	ZINC	
CHA-M12-40	Bolt, Nut, Washer for Cantilever Bracing Grade 5	0.17	8	n/a	ZINC	

Rivet Shelving						
Part Number	Description	Wt #	Ga.	Load	Color	Quantity
	1-1/2"x1-1/2" 14 Ga. Angle Post					
RR-AP-24-14	1-1/2"x1-1/2" 14 Ga. Angle Post 2'	1.46	14		Gray	
RR-AP-36-14	1-1/2"x1-1/2" 14 Ga. Angle Post 3'	2.10	14		Gray	
RR-AP-48-14	1-1/2"x1-1/2" 14 Ga. Angle Post 4'	2.92	14		Gray	
RR-AP-60-14	1-1/2"x1-1/2" 14 Ga. Angle Post 5'	3.65	14		Gray	
RR-AP-72-14	1-1/2"x1-1/2" 14 Ga. Angle Post 6'	4.40	14		Gray	
RR-AP-84-14	1-1/2"x1-1/2" 14 Ga. Angle Post 7'	5.11	14		Gray	
RR-AP-96-14	1-1/2"x1-1/2" 14 Ga. Angle Post 8'	5.85	14		Gray	
RR-AP-108-14	1-1/2"x1-1/2" 14 Ga. Angle Post 9'	6.58	14		Gray	
RR-AP-144-14	1-1/2"x1-1/2" 14 Ga. Angle Post 12'	8.77	14		Gray	
	1-7/8"x1-7/8" 14 Ga. Angle Post HD					
RR-APHD-36-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 3'	2.52	14		Gray	
RR-APHD-48-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 4'	3.36	14		Gray	
RR-APHD-60-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 5'	4.20	14		Gray	
RR-APHD-72-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 6'	5.04	14		Gray	
RR-APHD-84-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 7'	5.88	14		Gray	
RR-APHD-96-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 8'	6.72	14		Gray	
RR-APHD-108-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 10'	7.56	14		Gray	
RR-APHD-144-14	1-7/8"x1-7/8" 14 Ga. Angle Post HD 12'	10.08	14		Gray	
	16 Ga. Double Rivet Beam					
RR-ADRB-12-16	16 Ga. Double Rivet Beam 12"	0.72	16		Gray	
RR-ADRB-15-16	16 Ga. Double Rivet Beam 15"	0.90	16		Gray	
RR-ADRB-18-16	16 Ga. Double Rivet Beam 18"	1.08	16		Gray	
RR-ADRB-24-16	16 Ga. Double Rivet Beam 24"	1.44	16		Gray	
RR-ADRB-30-16	16 Ga. Double Rivet Beam 30"	1.80	16		Gray	
RR-ADRB-36-16	16 Ga. Double Rivet Beam 36"	2.20	16		Gray	
RR-ADRB-48-16	16 Ga. Double Rivet Beam 48"	2.88	16		Gray	

Rivet Shelving						
Part Number	Description	Wt #	Ga.	Load	Color	Quantity
	14 Ga. Double Rivet Beam					
RR-ADRB-12-14	14 Ga. Double Rivet Beam 12"	1.12	14		Gray	
RR-ADRB-18-14	14 Ga. Double Rivet Beam 18"	1.72	14		Gray	
RR-ADRB-24-14	14 Ga. Double Rivet Beam 24"	2.31	14		Gray	
RR-ADRB-30-14	14 Ga. Double Rivet Beam 30"	2.90	14		Gray	
RR-ADRB-36-14	14 Ga. Double Rivet Beam 36"	3.50	14		Gray	
RR-ADRB-48-14	14 Ga. Double Rivet Beam 48"	3.64	14		Gray	
RR-ADRB-60-14	14 Ga. Double Rivet Beam 60"	4.55	14		Gray	
RR-ADRB-69-14	14 Ga. Double Rivet Beam 69"	5.23	14		Gray	
RR-ADRB-72-14	14 Ga. Double Rivet Beam 72"	5.46	14		Gray	
RR-ADRB-96-14	14 Ga. Double Rivet Beam 96"	7.28	14		Gray	
	14 Ga. Double Rivet Channel Beam HD					
RR-ADRCB-72-14	14 Ga. Double Rivet Channel Beam HD 72"	6.90	14		Gray	
RR-ADRCB-96-14	14 Ga. Double Rivet Channel Beam HD 96"	9.20	14		Gray	
	14 Ga. Single Rivet Beams					
RR-ASRB-12-14	14 Ga. Single Rivet Beams 12"	0.49	14		Gray	
RR-ASRB-15-14	14 Ga. Single Rivet Beams 15"	0.61	14		Gray	
RR-ASRB-18-14	14 Ga. Single Rivet Beams 18"	0.74	14		Gray	
RR-ASRB-24-14	14 Ga. Single Rivet Beams 24"	0.98	14		Gray	
RR-ASRB-30-14	14 Ga. Single Rivet Beams 30"	1.23	14		Gray	
RR-ASRB-36-14	14 Ga. Single Rivet Beams 36"	1.47	14		Gray	
RR-ASRB-42-14	14 Ga. Single Rivet Beams 42"	1.72	14		Gray	
RR-ASRB-48-14	14 Ga. Single Rivet Beams 48"	1.96	14		Gray	
	16 Ga. Center Supports					
RR-CS-12-16	16 Ga. CENTER SUPPORT w/HARDWARE 12"	0.93	16		Gray	
RR-CS-18-16	16 Ga. CENTER SUPPORT w/HARDWARE 18"	1.39	16		Gray	
RR-CS-24-16	16 Ga. CENTER SUPPORT w/HARDWARE 24"	1.87	16		Gray	
RR-CS-30-16	16 Ga. CENTER SUPPORT w/HARDWARE 30"	2.31	16		Gray	
RR-CS-36-16	16 Ga. CENTER SUPPORT w/HARDWARE 36"	2.75	16		Gray	
RR-CS-48-16	16 Ga. CENTER SUPPORT w/HARDWARE 48"	3.65	16		Gray	
	Rivet Shelving Accessories					
RR-TP-4-14	BOLTLESS TIE PLATE 4 POINT	0.13	14		Gray	
RR-FPR-14	FOOT PLATE ASSEMBLY RIGHT-HAND SINGLE POST	0.25			Gray	
RR-FPL-14	FOOT PLATE ASSEMBLY LEFT-HAND SINGLE POST	0.25			Gray	
RR-FPD-14	FOOT PLATE ASSEMBLY DOUBLE POST	0.44			Gray	



Confidential
8/11/2010

Hardy Imports, Inc.
352-382-1776 Fax: 813-527-9993
Email: info@hardyimport.com

Republic-Style Shelf Components						
Part Number	Description	Wt #	Ga.	Load	Color	Quantity
	Republic-Style Post on 1 1/2" Centers					
RSP-85-1.5-14	Republic-Style 7' 1" Post - on 1 1/2" Centers 14 ga.	4.20	14		Gray	
RSP-97-1.5-14	Republic-Style 8' 1" Post - on 1 1/2" Centers 14 ga.	4.80	14		Gray	
	Republic-Style Post on 1" Centers					
RSP-87-1-14	Republic-Style 7' 3" Post - on 1" Centers 14 ga.	4.30	14		Gray	
RSP-99-1-14	Republic-Style 8' 3" Post - on 1" Centers 14 ga.	4.90	14		Gray	
	Sway Braces					
RSSB-12	Republic-Style 12" Sway Brace (16" Overall Length)	0.44	14		Gray	
RSSB-18	Republic-Style 18" Sway Brace (22" Overall Length)	0.62	14		Gray	
RSSB-24	Republic-Style 24" Sway Brace (27.5" Overall Length)	0.77	14		Gray	
RSSB-36	Republic-Style 36" Sway Brace (39.75 Overall Length)	1.10	14		Gray	
RSSB-48	Republic-Style 48" Sway Brace (52" Overall Length)	1.47	14		Gray	
RSSB-29.44	Republic-Style 29 7/16" Sway Brace	0.85	14		Gray	
RSSB-45.5	Republic-Style 45 1/2" Sway Brace	1.32	14		Gray	
RSSB-54.875	Republic-Style 54 7/8" Sway Brace	1.60	14		Gray	
	Shelving Clips					
RSC-01	Republic-Style Shelving Clips	0.10	14		Gray	

Hardy Smart Deck - Wire Decking					
Part Number	Description	Wt #	Braces Capacity	Color	Quantity
WD-24-45-3.6	24"deep x 45"wide WIRE DECK, ZINC PLATED	10.93	3 Braces 2500 lb	ZINC PLATED	
WD-36-45-3.6	36"deep x 45"wide WIRE DECK, ZINC PLATED	15.5	3 Braces 2500 lb	ZINC PLATED	
WD-36-46-3.6	36"deep x 46"wide WIRE DECK, ZINC PLATED	15.6	3 Braces 2500 lb	ZINC PLATED	
WD-42-45-3.6	42"deep X 45"wide WIRE DECK, ZINC PLATED	17.68	3 Braces 2500 lb	ZINC PLATED	
WD-42-46-3.6	42"deep x 46"wide WIRE DECK, ZINC PLATED	18.05	3 Braces 2500 lb	ZINC PLATED	
WD-42-48-3.6	42"deep x 48"wide WIRE DECK, ZINC PLATED	18.5	3 Braces 2500 lb	ZINC PLATED	
WD-48-45-3.7	48"deep x 45"wide WIRE DECK, ZINC PLATED	22.19	4 Braces 2500 lb	ZINC PLATED	
WD-48-46-3.7	48"deep x 46"wide WIRE DECK, ZINC PLATED	23.43	4 Braces 2500 lb	ZINC PLATED	
WDA-24-12-2.6	WIRE DECK FILLER PANEL 24"deep x 12"wide, ZINC PLATED	4.17	2 Braces 700 lb	ZINC PLATED	
WDA-36-12-2.6	WIRE DECK FILLER PANEL 36"deep x 12"wide, ZINC PLATED	6.3	2 Braces 700 lb	ZINC PLATED	
WDA-42-12-2.6	WIRE DECK FILLER PANEL 42"deep x 12"wide, ZINC PLATED	6.95	2 Braces 700 lb	ZINC PLATED	
WDA-48-12-2.6	WIRE DECK FILLER PANEL 48"deep x 12"wide, ZINC PLATED	7.9	2 Braces 700 lb	ZINC PLATED	
WDA-CS-36	WIRE DECK Snap-in Channel Support 36"deep, ZINC PLATED (Must be used in pairs)	2.2		ZINC PLATED	
WDA-CS-42	WIRE DECK Snap-in Channel Support 42"deep, ZINC PLATED (Must be used in pairs)	2.47		ZINC PLATED	
WDA-CS-48	WIRE DECK Snap-in Channel Support 48"deep, ZINC PLATED (Must be used in pairs)	2.8		ZINC PLATED	

All products can be purchased by container loads only. High strength Q235 Steel. Gauge Sizes are to the nearest gauge number. PRICES ARE ALL IN FREIGHT INCLUDED TO YOUR DOOR! Terms 50% with order 50% upon arrival notice. Hardy has been importing goods since 1990 and selling, designing and patenting storage systems for nearly 50 years. Phone, fax or email us today. Get the best value for your time and money, get Hardy!